

Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,043,183 B2

DATED : May 9, 1006

INVENTOR(S) : YASUO YODA ET AL.

Page 1 of 3

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 1

Line 58, "fer" should read --ferring--; and

Line 65, "transfer" should read --transferring--.

COLUMN 2

Line 43, "diameter" should read --diameter of--.

COLUMN 3

Line 21, "case where" should read --case wherein--.

COLUMN 4

Line 9, "a toner image; an intermediate" should read --an image thereon, and a transferring member contacting with the image bearing member in a contact portion, and in which the image on the image bearing member is transferred to a transfer medium in the contact portion by the--;

Lines 10-19, "transfer member which is movable in a moving direction and contacts the image bearing member at a contact portion; a cleaning member opposed to the movable intermediate transfer member, for cleaning toner on the intermediate transfer member; and a charge elimination member opposed to the intermediate transfer member and positioned upstream of the contact portion and downstream of the cleaning member in the moving direction of the intermediate transfer member, wherein the toner image on the image bearing member is transferred to a transfer material by the interme" should be deleted;

Line 22, "diate" should be deleted;

Line 28, "an a toner" should read --a toner--; and

Line 59, "eliminating" should read --charge eliminating--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 7,043,183 B2

No. of add'l. copies
@ 30¢ per page



Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,043,183 B2

DATED : May 9, 1006

INVENTOR(S) : YASUO YODA ET AL.

Page 2 of 3

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 7

Line 45, "resistivityps" should read --resistivity--; and

Line 56, " $1 \times 10^8 \Omega$." should read -- $1 \times 10^8 \Omega / \square$ --.

COLUMN 8

Line 25, "W was" should read --W was set to--.

COLUMN 9

Line 16, "weak to fracture" should read --subject to fracture--;

Line 45, (Table 2), "Uneveness" should read --Unevenness--; and

Line 46, (Table 2), "[N/m²]" should read --E [N/m²]--.

COLUMN 11

Line 38, "step," should read --step--.

COLUMN 13

Table 3, "Charcater" should read --Character--; and

Line 59, "110," should read --110--.

COLUMN 15

Line 10, "afore-described" should read --aforedescribed--;

Line 15, "facsimile" should read --a facsimile--; and "ccopying" should read --copying--;

Line 16, "mebers" should read --members--;

Line 17, "is nor" should read --is not--; and

Line 31, "other" should read --another--, and "atransfer" should read --a transfer--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 7,043,183 B2

No. of add'l. copies
@ 30¢ per page

Form PTO 1050 (Rev. 3-82)

(Form#30) WMW/lp DC_MAIN 253851



Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,043,183 B2

DATED : May 9, 1006

INVENTOR(S) : YASUO YODA ET AL.

Page 3 of 3

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 16

Line 13, "transfer" should read --a transfer--; and

Line 20, " $73 \times 10^4 \text{N/m}^2$." should read -- $7.3 \times 10^4 \text{N/m}^2$ --.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 7,043,183 B2

No. of add'l. copies
@ 30¢ per page

Form PTO 1050 (Rev. 3-82)

(Form#30) WMW/ljp DC_MAIN 253851

